

WIIIIIIIIIII

YANWA YW450-6X4





TRACTOR TRUCK TECHNICAL SHEET

BRAND	YANWA
MODEL	YW450-6X4
ORIGIN	CHINA
YEAR	2023
GVWR	27216KG

CABIN

TYPE	CONVENTIONAL
HOOD	AERODYNAMIC (FOLDABLE)
INSIDE CABIN	EXTENSIBLE
BED	AIR SUSPENSION BUNK
PASSENGERS	2 (DRIVER AND PASSENGER)
PASSENGER SEAT	SEAT BELT (3 FIXING POINTS) AIR SUSPENSION PNEUMATICALLY ADJUSTABLE SEAT
DRIVER SEAT	SEAT BELT (3 FIXING POINTS) AIR SUSPENSION PNEUMATICALLY ADJUSTABLE SEAT



ENGINE	
BRAND	CUNNINS
MODEL	ISX-450
FUEL	DIESEL
INJECTION SYSTEM	INTERNAL 4 TIMES
FUEL	DIESEL
INJECTION SYSTEM	COMMON RAIL DIRECT INJECTION ELECTRONICS
COMBUSTION	INTERNAL 4 TIMES
POWER	450HP
OPERATING REGIME	2000RPM
TOWING CAPACITY	46000KG
CYLINDER CAPACITY	14900CC
NO. OF CYLINDERS	6 IN LINE
TORQUE	1,550 LBF/FT AT 1,200 RPM
INTAKE SYSTEM	TURBO CHARGER / AFTERCOOLING
ENGINE BRAKE	IN VALVES
REFRIGERATION	BY WATER

DASHBOARD

DASHBOARD		BRAKES	
RATED VOLTAGE	24V	SERVICE BRAKE	100% TIRE
NO. BATTERIES	2	ATC (AUTOMATIC TRACTION CONTR ABS (ANTI LOCK BRAKE SYST INTEGRATED AIR DR	DRUM TYPE (FRONT AND REAR) TC (AUTOMATIC TRACTION CONTROL)
BATTERY TYPE (EACH)) 12V/220AH		ABS (ANTI LOCK BRAKE SYSTEM) INTEGRATED AIR DRYER 8.7 CFM CAPACITY AIR COMPRESSOR
CLUTCH		PARKING BREAK	PNEUMATIC LOCK
ТҮРЕ	DOUBLE DISC - MECHANICAL		TIRE TYPE
DIAMETER	15.5 IN - 430MM	AUXILIARY BRAKE (ENGINE BRAKE)	AUXILIARY BRAKE (ENGI- NE BRAKE)
DRIVE	HYDRAULIC	BRAKES	
TRANSMISSIC	N	FRONT SUSPENSION	PARABOLIC SPRINGS
TYPE	MANUAL/MECHANICAL INTERNAL LUBRICATION		MULTIPLE BLADES (14,000 LBS.) SHOCK ABSORBERS
	PUMP AND COOLER	REAR SUSPENSION	PARABOLIC SPRINGS
NUMBER OF GEARS	FORWARD (18) / REVERSE (1)		MULTIPLE BLADES (46000LB) SHOCK ABSORBERS
TRACTION	6X4	FRONT AXLE	ALOAD CAPACITY 14,000 LBS.
ADDRESS			RIGID
TYPE	HYDRAULICS	REAR AXLE	LOAD CAPACITY 46,000 LBS.
STEERING COLUMN	HEIGHT AND DEPTH ADJUSTABLE		TANDEM LUBRICATION PUMP – DIFFEREN- TIAL LOCK
SYSTEM	HYDRAULICALLY ASSISTED		

FUEL TANKS

MATERIAL	ALUMINUM
IST	100 GAL (378L)
2ND	125 GAL (473 L)
TIPE	26" DIAMETER ROUND

TIRES

AMOUNT	10 WHEELS (WITH RINGS)
NUMERATION	12 R 22.5
HOOPS	8.5" X 20
NO. OF CANVASES	18
MAX LOAD PER WHEEL	3350KG
INFLATION PRESSURE	131PSI
TILLING DEPTH	20MM

CABIN INCLUDES

RADIO (AM/FM+BLUETOOTH+PM3)	INCLUDES
HEATING / VENTILATION (4 SPEED SURROUND)	INCLUDES
WINDOWS (ELEVATION ELECTRIC MOTOR)	INCLUDES
A/C	INCLUDES
CONTROL PANEL	INCLUDES
STANDARD LIGHTS	INCLUDES
HALL LIGHTS	INCLUDES
LIGHTS IN DOORS	INCLUDES
COMPLETE KIT OF MIRRORS	INCLUDES
REARVIEW MIRRORS (ELECTRIC)	INCLUDES
BLIND SPOT MIRRORS	INCLUDES
NEBLINEROS	INCLUDES
WIPER WASHER	INCLUDES
CENTER CONSOLE WITH CUP HOLDER	INCLUDES

INSTRUMENT PANEL AND C	ONTROL
FUEL LEVEL INDICATOR	INCLUDES
ENGINE OIL PRESSURE GAUGE	INCLUDES
OIL PRESSURE GAUGE	INCLUDES
AIR PRESSURE GAUGE IN TANKS	INCLUDES
BATTERY CHARGE INDICATOR	INCLUDES
FUEL LEVEL INDICATOR	INCLUDES
ENGINE TEMPERATURE GAUGE	INCLUDES
SPEEDOMETER	INCLUDES
ODOMETER	INCLUDES
TACHOMETER (RPM METER)	INCLUDES
HORN	INCLUDES

TOOLS (1 KIT PER ROAD TEAM)

HYDRAULIC BOTTLE JACK	20 TON ACTION LEVER JACK KEY
TYPE I WHEEL WRENCH	32X30 FORCE LEVER
WHEEL LOCK STUDS (2 UNITS)	POLYURETHANE 6,2 KG 39,4X21,6X21 CM (LXAXH)
TOOLBOX	PLIERS SCREWDRIVER PHILLIPS SCREWDRIVER 10" SPANNER COMBINATION WRENCHES (10 TO 23)MM
EXTINGUISHER (SUPPORT IN CABIN)	PQS TYPE CLASS A,B,C FIRES 10 KG
MEDICINE CABINET	ANTISEPTIC ALCOHOL OXYGENATED WATER POROUS ADHESIVE TAPE GAUZE COTTON BANDAGE (1 TRIANGULAR -1 LONGITUDINAL) SCISSORS ANALGESICS (PARACETAMO IBUPROFEN) GLOVES
FLASHLIGHT	LED TYPE
SAFETY TRIANGLES 2 UNITS	2 UNITS 50 CM EACH SIDE FLUORESCENT SURFACE ABS MATERIAL RED REFLECTIVE PLATE POLYETHYLENE BASE (WEIGHT 2KG)

